



ΠΑΝΕΠΙΣΤΗΜΙΟ ΙΩΑΝΝΙΝΩΝ
ΑΝΟΙΚΤΑ ΑΚΑΔΗΜΑΪΚΑ ΜΑΘΗΜΑΤΑ




Τίτλος Μαθήματος: Θεωρία Πολυπλοκότητας

Ενότητα: Κλάσεις Πολυπλοκότητας

Διδάσκων: Λέκτορας Χάρης Παπαδόπουλος

Τμήμα: Μαθηματικών



Με τη συγχρηματοδότηση της Ελλάδας και της Ευρωπαϊκής Ένωσης

Θεωρία Πολυπλοκότητας

Χάρης Παπαδόπουλος

Geography Game

Geography. Alice names capital city c of country she is in. Bob names a capital city c' that starts with the letter on which c ends. Alice and Bob repeat this game until one player is unable to continue. Does Alice have a forced win?

Ex. Budapest \rightarrow Tokyo \rightarrow Ottawa \rightarrow Ankara \rightarrow Amsterdam \rightarrow Moscow \rightarrow Washington \rightarrow Nairobi \rightarrow ...

Geography on graphs. Given a directed graph $G = (V, E)$ and a start node s , two players alternate turns by following, if possible, an edge out of the current node to an unvisited node. Can first player guarantee to make the last legal move?

Remark. Some problems (especially involving 2-player games and AI) defy classification according to P, EXPTIME, NP, and NP-complete.

9.1 PSPACE

PSPACE

P. Decision problems solvable in polynomial **time**.

PSPACE. Decision problems solvable in polynomial **space**.

Observation. $P \subseteq PSPACE$.

↑
poly-time algorithm can consume only polynomial space

PSPACE

Binary counter. Count from 0 to $2^n - 1$ in binary.

Algorithm. Use n bit odometer.

Claim. 3-SAT is in PSPACE.


Pf.

- Enumerate all 2^n possible truth assignments using counter.
- Check each assignment to see if it satisfies all clauses. ▪

Theorem. $NP \subseteq PSPACE$.

Pf. Consider arbitrary problem Y in NP.

- Since $Y \leq_p 3\text{-SAT}$, there exists algorithm that solves Y in poly-time plus polynomial number of calls to 3-SAT black box.
- Can implement black box in poly-space. ▪



9.3 Quantified Satisfiability

Quantified Satisfiability

QSAT. Let $\Phi(x_1, \dots, x_n)$ be a Boolean CNF formula. Is the following propositional formula true?

$$\exists x_1 \forall x_2 \exists x_3 \forall x_4 \dots \forall x_{n-1} \exists x_n \Phi(x_1, \dots, x_n)$$

↑
assume n is odd

Intuition. Amy picks truth value for x_1 , then Bob for x_2 , then Amy for x_3 , and so on. Can Amy satisfy Φ no matter what Bob does?

Ex. $(x_1 \vee x_2) \wedge (x_2 \vee \overline{x_3}) \wedge (\overline{x_1} \vee \overline{x_2} \vee x_3)$

Yes. Amy sets x_1 true; Bob sets x_2 ; Amy sets x_3 to be same as x_2 .

□ **Ex.** $(x_1 \vee x_2) \wedge (\overline{x_2} \vee \overline{x_3}) \wedge (\overline{x_1} \vee \overline{x_2} \vee x_3)$

No. If Amy sets x_1 false; Bob sets x_2 false; Amy loses;
if Amy sets x_1 true; Bob sets x_2 true; Amy loses.


□

QSAT is in PSPACE

Theorem. $QSAT \in PSPACE$.

Pf. Recursively try all possibilities.

- Only need one bit of information from each subproblem.
- Amount of space is proportional to depth of function call stack.




9.4 Planning Problem

15-Puzzle

8-puzzle, 15-puzzle. [Sam Loyd 1870s]

- Board: 3-by-3 grid of tiles labeled 1-8.
- Legal move: slide neighboring tile into blank (white) square.
- Find sequence of legal moves to transform initial configuration into goal configuration.



Planning Problem

Conditions. Set $C = \{ C_1, \dots, C_n \}$.

Initial configuration. Subset $c_0 \subseteq C$ of conditions initially satisfied.

Goal configuration. Subset $c^* \subseteq C$ of conditions we seek to satisfy.

Operators. Set $O = \{ O_1, \dots, O_k \}$.

- To invoke operator O_i , must satisfy certain prereq conditions.
- After invoking O_i certain conditions become true, and certain conditions become false.

PLANNING. Is it possible to apply sequence of operators to get from initial configuration to goal configuration?

Examples.

- 15-puzzle.
- Rubik's cube.
- Logistical operations to move people, equipment, and materials.

Planning Problem: 8-Puzzle

Planning example. Can we solve the 8-puzzle?

Conditions. $C_{ij}, 1 \leq i, j \leq 9$. $\leftarrow C_{ij}$ means tile i is in square j

Initial state. $c_0 = \{C_{11}, C_{22}, \dots, C_{66}, C_{78}, C_{87}, C_{99}\}$.

Goal state. $c^* = \{C_{11}, C_{22}, \dots, C_{66}, C_{77}, C_{88}, C_{99}\}$.

Operators.

- Precondition to apply $O_i = \{C_{11}, C_{22}, \dots, C_{66}, C_{78}, C_{87}, C_{99}\}$.
- After invoking O_i , conditions C_{79} and C_{97} become true.
- After invoking O_i , conditions C_{78} and C_{99} become false.

Solution. No solution to 8-puzzle or 15-puzzle!

1	2	3
4	5	6
8	7	9

$\downarrow O_i$

1	2	3
4	5	6
8	9	7

Diversion: Why is 8-Puzzle Unsolvable?

8-puzzle invariant. Any legal move preserves the **parity** of the number of pairs of pieces in reverse order (inversions).

3	1	2
4	5	6
8	7	

3 inversions
1-3, 2-3, 7-8



3	1	2
4	5	6
8		7

3 inversions
1-3, 2-3, 7-8



3	1	2
4		6
8	5	7

5 inversions
1-3, 2-3, 7-8, 5-8, 5-6

1	2	3
4	5	6
7	8	

0 inversions



1	2	3
4	5	6
8	7	

1 inversion: 7-8

Planning Problem: Binary Counter

Planning example. Can we increment an n-bit counter from the all-zeroes state to the all-ones state?

Conditions. C_1, \dots, C_n . $\leftarrow C_i$ corresponds to bit $i = 1$

Initial state. $c_0 = \phi$. \leftarrow all 0s

Goal state. $c^* = \{C_1, \dots, C_n\}$. \leftarrow all 1s

Operators. O_1, \dots, O_n .

- To invoke operator O_i , must satisfy C_1, \dots, C_{i-1} . \leftarrow $i-1$ least significant bits are 1
- After invoking O_i , condition C_i becomes true. \leftarrow set bit i to 1
- After invoking O_i , conditions C_1, \dots, C_{i-1} become false. \leftarrow set $i-1$ least significant bits to 0

Solution. $\{\} \Rightarrow \{C_1\} \Rightarrow \{C_2\} \Rightarrow \{C_1, C_2\} \Rightarrow \{C_3\} \Rightarrow \{C_3, C_1\} \Rightarrow \dots$

Observation. Any solution requires at least $2^n - 1$ steps.

Planning Problem: In Exponential Space

Configuration graph G .

- Include node for each of 2^n possible configurations.
- Include an edge from configuration c' to configuration c'' if one of the operators can convert from c' to c'' .

PLANNING. Is there a path from c_0 to c^* in configuration graph?

Claim. PLANNING is in EXPTIME.

Pf. Run BFS to find path from c_0 to c^* in configuration graph. ▪

Note. Configuration graph can have 2^n nodes, and shortest path can be of length $= 2^n - 1$.


↑
binary counter

Planning Problem: In Polynomial Space

Theorem. PLANNING is in PSPACE.

Pf.

- Suppose there is a path from c_1 to c_2 of length L .
- Path from c_1 to midpoint and from c_2 to midpoint are each $\leq L/2$.
- Enumerate all possible midpoints.
- Apply recursively. Depth of recursion = $\log_2 L$. ▪

```
boolean hasPath( $c_1$ ,  $c_2$ ,  $L$ ) {  
    if ( $L \leq 1$ ) return correct answer  
      
     enumerate using binary counter  
    foreach configuration  $c'$  {  
        boolean  $x$  = hasPath( $c_1$ ,  $c'$ ,  $L/2$ )  
        boolean  $y$  = hasPath( $c_2$ ,  $c'$ ,  $L/2$ )  
        if ( $x$  and  $y$ ) return true  
    }  
    return false  
}
```

9.5 PSPACE-Complete

PSPACE-Complete

PSPACE. Decision problems solvable in polynomial space.

PSPACE-Complete. Problem Y is PSPACE-complete if (i) Y is in PSPACE and (ii) for every problem X in PSPACE, $X \leq_p Y$.

Theorem. [Stockmeyer-Meyer 1973] QSAT is PSPACE-complete.

Theorem. $\text{PSPACE} \subseteq \text{EXPTIME}$.

Pf. Previous algorithm solves QSAT in exponential time, and QSAT is PSPACE-complete. ▀

Summary. $P \subseteq NP \subseteq \text{PSPACE} \subseteq \text{EXPTIME}$.



it is known that $P \neq \text{EXPTIME}$, but unknown which inclusion is strict;
conjectured that all are

PSPACE-Complete Problems

More PSPACE-complete problems.


- **Competitive facility location.**
- Natural generalizations of games.
 - Othello, Hex, Geography, Rush-Hour, Instant Insanity
 - Shanghai, go-moku, Sokoban
- Given a memory restricted Turing machine, does it terminate in at most k steps?
- Do two regular expressions describe different languages?
- Is it possible to move and rotate complicated object with attachments through an irregularly shaped corridor?
- Is a deadlock state possible within a system of communicating processors?

Competitive Facility Location

Input. Graph with positive node weights, and target B .

Game. Two competing players alternate in selecting nodes. Not allowed to select a node if any of its neighbors has been selected.

Competitive facility location. Can second player guarantee at least B units of profit?



Yes if $B = 20$; no if $B = 25$.

Competitive Facility Location


Claim. COMPETITIVE-FACILITY is PSPACE-complete.

Pf.

- To solve in poly-space, use recursion like QSAT, but at each step there are up to n choices instead of 2.
- To show that it's complete, we show that QSAT polynomial reduces to it. Given an instance of QSAT, we construct an instance of COMPETITIVE-FACILITY such that player 2 can force a win iff QSAT formula is true.

Competitive Facility Location


- Construction.** Given instance $\Phi(x_1, \dots, x_n) = C_1 \wedge C_1 \wedge \dots \wedge C_k$ of QSAT. ← assume n is odd
- Include a node for each literal and its negation and connect them.
 - at most one of x_i and its negation can be chosen
 - Choose $c \geq k+2$, and put weight c^i on literal x^i and its negation; set $B = c^{n-1} + c^{n-3} + \dots + c^4 + c^2 + 1$.
 - ensures variables are selected in order x_n, x_{n-1}, \dots, x_1 .
 - As is, player 2 will lose by 1 unit: $c^{n-1} + c^{n-3} + \dots + c^4 + c^2$.



Competitive Facility Location

Construction. Given instance $\Phi(x_1, \dots, x_n) = C_1 \wedge C_2 \wedge \dots \wedge C_k$ of QSAT.

- Give player 2 one last move on which she can try to win.
- For each clause C_j , add node with value 1 and an edge to each of its literals.
- Player 2 can make last move iff truth assignment defined alternately by the players failed to satisfy some clause. ▪






Παράδειγμα: Πορεία Αυτοαποφυγής (self-avoiding walks)

Πορεία αυτοποφυγής. $W=(p_1, \dots, p_n)$ με p_i ακέραια σημεία στο L^2

$$p_1 = (0,0) \quad p_{i+1} \neq p_i \quad |p_{i+1} - p_i| = 1$$

Πρόβλημα υπολογισμού $A(n)$: πλήθος διαφορετικών W

- Αν $W_p = (p_1, \dots, p_n)$ και $W_q = (q_1, \dots, q_n)$ τότε $W_p \neq W_q$ αν υπάρχει κάποιο i : $p_i \neq q_i$






(α) Δείξτε ότι $A(n) \geq 2^{n-1}$ για όλους τους φυσικούς αριθμούς $n \geq 1$.

(β) Δώστε έναν αλγόριθμο που να δέχεται ως είσοδο έναν αριθμό n και να παράγει το $A(n)$ ως έναν αριθμό σε δυαδική μορφή, χρησιμοποιώντας χώρο (δηλαδή, μνήμη) που είναι πολυωνυμικός ως προς n .

Παράδειγμα: Πορεία Αυτοαποφυγής (self-avoiding walks)

(β) Υπολογισμός- $A(n) \in PSPACE$.

Απαριθμούμε πρώτα **όλες** τις πορείες (όχι μόνο τις αυτές που αποφεύγουν τον εαυτό τους) $\rightarrow B(n)$



$B(n)$: χρήση κλασικού μετρητή με $2n$ bits (κάθε σύμβολο έχει 2 bits)

$A(n)$: αυξάνεται κατά ένα, αν το $B(n)$ είναι αυτοαποφυγή (σε πολ/κό χώρο ελέγχεται και γίνεται χρήση του ίδου $O(n)$ χώρου)

$$A(n) \leq B(n) \leq 4^{n-1}$$

(α) Αν $B(n) \in \{B, A\}$: $A(n) = B(n)$ και $A(n) = 2^{n-1}$

Ανοικτά Ακαδημαϊκά Μαθήματα

Πανεπιστήμιο Ιωαννίνων

Τέλος Ενότητας

Χρηματοδότηση

- Το παρόν εκπαιδευτικό υλικό έχει αναπτυχθεί στα πλαίσια του εκπαιδευτικού έργου του διδάσκοντα.
- Το έργο «**Ανοικτά Ακαδημαϊκά Μαθήματα στο Πανεπιστήμιο Ιωαννίνων**» έχει χρηματοδοτήσει μόνο τη αναδιαμόρφωση του εκπαιδευτικού υλικού.
- Το έργο υλοποιείται στο πλαίσιο του Επιχειρησιακού Προγράμματος «Εκπαίδευση και Δια Βίου Μάθηση» και συγχρηματοδοτείται από την Ευρωπαϊκή Ένωση (Ευρωπαϊκό Κοινωνικό Ταμείο) και από εθνικούς πόρους.




Σημειώματα

Σημείωμα Αναφοράς

Copyright Πανεπιστήμιο Ιωαννίνων, Διδάσκων: Λέκτορας Χάρης Παπαδόπουλος «Θεωρία Πολυπλοκότητας». Έκδοση: 1.0. Ιωάννινα 2014. Διαθέσιμο από τη δικτυακή διεύθυνση: <http://ecourse.uoi.gr/course/view.php?id=1297>.

Σημείωμα Αδειοδότησης

- Το παρόν υλικό διατίθεται με τους όρους της άδειας χρήσης Creative Commons Αναφορά Δημιουργού - Παρόμοια Διανομή, Διεθνής Έκδοση 4.0 [1] ή μεταγενέστερη.



[1] <https://creativecommons.org/licenses/by-sa/4.0/>.